

DisboXAN 450 Fassadenschutz Transparent



Technical data

| | |
|-----------------|------------------------|
| Specific use(s) | Solvent-borne coatings |
| Density | 0,96 g/cm ³ |

Components

| | |
|--|---------------|
| Product Code/GISCODE | RE60 |
| VOC content LEED [less water] | < 320 g/l |
| Lead, cadmium, chromium VI * (* not contained in the formulation) | not contained |

Environmental labels

Building certifications - DGNB

Suitable according to DGNB criteria ENV1.2 (System version 2018 and 2015)

| No. | Application site | Product Type | Considered substances / aspects | QS 1 | QS 2 | QS 3 | QS 4 |
|-----|--|---|---------------------------------|------|------|------|------|
| 2 | Coatings on predominantly mineral interior surfaces as well as on wallpaper, non-woven materials, plasterboard, etc. Floor areas with special resistance requirements (such as OS (surface protection) systems) and traffic routes such as underground garages and access roads are not taken into account | This refers to decorative paints, primers, decorative fillers (incl. Q-filler) and deep primer, floor coatings with no special resistance requirements, concrete glazes | VOC / SVOC | Nein | Nein | Nein | Nein |
| 5 | Coating materials for exterior mineral surfaces such as concrete, masonry, mineral mortar and filler, plaster, ETICS, wallpaper (façade wallpaper), plasterboard, etc. | Currently, just decorative paints and dispersion insulation adhesives are taken into account | VOC | Nein | Nein | Nein | Nein |

Building certifications - LEED

| | |
|--|---|
| LEED v.4 (EQ CREDIT: Low emitting materials) | not fulfilled |
| LEED 2009 (IEQ4.1/ IEQ4.2/ IEQ4.3) | fulfilled |
| Product category | Sealants (other) |
| VOC limit | 420 g/l |
| Limit fulfilled | yes |
| Recycling share | not contained |
| Production site | DAW SE Roßdörfer Straße 50 DE-64372 Ober-Ramstadt |

Building certifications - Assessment System NaWoh

| | |
|--|--------------|
| Assessment System Sustainable Housing Constructions (NaWoh) v3.1 | not suitable |
|--|--------------|