

# DisboCRET 515 Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2022
3.1	17.07.2024	6007005	Date of first issue: 10.12.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	DisboCRET 515 Basis 1		
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against		
Use of the Sub- stance/Mixture	:	Water-borne coatings		
Recommended restrictions on use	:	within adequate application - none		
1.3 Details of the supplier of the	e safe	ety data sheet		
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt		
Telephone Telefax	:	+496154710 +4961547170222		
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com		
1.4 Emergency telephone				
Emergency telephone 1	:	+49613284463 GBK GmbH		
SECTION 2: Hazards identification				
2.1 Classification of the substance or mixture				
Classification (REGULATION (EC) No 1272/2008)				
Skin sensitization, Category	-	H317: May cause an allergic skin reaction.		
2.2 Label elements				

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		-,
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.



# DisboCRET 515 Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2022
3.1	17.07.2024	6007005	Date of first issue: 10.12.2019

Precautionary Statements

#### Prevention:

	1101011110				
	P261 P272	Avoid breathing mist or vapors. Contaminated work clothing should not be allowed out of the workplace.			
	P280	Wear protective gloves.			
	Response	e:			
	P333 + P3	313 If skin irritation or rash occurs: Get medical advice/ attention.			
	P362 + P3	364 Take off contaminated clothing and wash it before reuse.			
	Disposal	:			
	P501	Dispose of contents/ container to an approved waste disposal plant.			

### Hazardous ingredients which must be listed on the label:

2-methylisothiazol-3(2H)-one 1,2-benzisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

### **Additional Labeling**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature	:	Emulsion paint, aqueous
-----------------	---	-------------------------

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)



DE / EN

# DisboCRET 515 Basis 1

. —
17.

vision Date: 07.2024 SDS Number: 6007005

Date of last issue: 08.12.2022 Date of first issue: 10.12.2019

	Index-No.		
	Registration number		
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
ammonia	1336-21-6 215-647-6 007-001-01-2 01-2119488876-14	Skin Corr. 1B; H314 Aquatic Acute 1; H400	>= 0,1 - < 0,25
		specific concentration limit STOT SE 3; H335 >= 5 %	
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 0,0025 - < 0,025
		aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330	>= 0,0025 - < 0,025
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





# DisboCRET 515 Basis 1

rsion	Revision Date: 17.07.2024	SDS Number: 6007005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019
			aquatic toxicity): 1
			specific concentration limit Skin Sens. 1; H317 >= 0,05 %
methy	on mass of 5-chloro-2 /I-2H-isothiazol-3-one /I-2H-isothiazol-3-one	and 2-	· · · · · · · · · · · · · · · · · · ·
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
			specific concentration limit Skin Corr. 1C; H314 >= $0,6 \%$ Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= $0,0015 \%$ Eye Dam. 1; H318 >= $0,6 \%$
	ances with a workpla		
kaolin	I	1332-58-7 310-194-1	>= 1 - < 1

For explanation of abbreviations see section 16.



# DisboCRET 515 Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2022
3.1	17.07.2024	6007005	Date of first issue: 10.12.2019

### **SECTION 4: First aid measures**

4.1 Description of first-aid measures				
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Most important symptoms ar	nd e	effects, both acute and delayed		
Risks	:	May cause an allergic skin reaction.		
4.3 Indication of any immediate medical attention and special treatment needed				

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire	:	In case of fire hazardous decomposition products may be
fighting		produced such as:
		Carbon monoxide, carbon dioxide and unburned hydrocar-



# DisboCRET 515 Basis 1

Version 3.1	Revision Date: 17.07.2024		DS Number: 007005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019	
			bons (smoke).		
5.3 Advice	e for firefighters				
	al protective equipment e-fighters	:	Wear self-contair essary.	ed breathing apparatus for firefighting if nec-	
Furthe	er information	: Standard procedure for chemical fires. The product itself does not burn.			
SECTION	SECTION 6: Accidental release measures				
6.1 Personal precautions, protective equipment and emergency procedures					
Perso	nal precautions	:	Material can crea	oes or boots with rough rubber sole. te slippery conditions. s, on skin, or on clothing.	
6.2 Enviro	nmental precautions				
Enviro	onmental precautions	:		akage or spillage if safe to do so. taminates rivers and lakes or drains inform ities.	

Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.



# DisboCRET 515 Basis 1

Version 3.1	Revision Date: 17.07.2024		DS Number: 007005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019
7.2 Condi	tions for safe storage,	inc	luding any incom	patibilities
•	irements for storage and containers	:	in heat or direct soriginal container	en. To maintain product quality, do not store sunlight. Store at room temperature in the r. Containers which are opened must be care- d kept upright to prevent leakage.
Advid	ce on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Stora	ge class (TRGS 510)	:	12	
-	f <b>ic end use(s)</b> ific use(s)	:	This information i	is not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK	
	Further inform	ation: Substances th	hat cause cancer in humans	or animals or	
	can be derive		enic for humans and for whic nbryo or foetus is unlikely wh d		
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit cate	category: 2;(II)			
	Further information: When there is compliance with the OEL and biological				
		values, there is no risk of harming the unborn child			
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900	
	Peak-limit cat	egory: 2;(II)	· · · · · · · · · · · · · · · · · · ·		
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC	
	Further information: Carcinogens or mutagens				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:



DE / EN

# DisboCRET 515 Basis 1

Vers 3.1	sion	Revision Date: 17.07.2024	SDS Numl 6007005	er: Date of last issue: 08.12.2022 Date of first issue: 10.12.2019			
	Substa	ance name	End Use	Routes of ex sure	-r	Potential health ef- fects	Value
	powde ing 1 % particle	m dioxide; [in er form contain- ⁄6 or more of es with aerody- diameter ≤ 10	Consumers	Ingestion		Long-term systemic effects	700,00 mg/kg bw/day
Ī			Workers	Inhalation		Long-term local ef- fects	10,00 mg/m3

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

### 8.2 Exposure controls

Personal protective equipment	t
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection
	Goggles
Glove thickness :	Nitrile rubber 0,2 mm Class 3
Remarks :	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection :	Safety shoes Long sleeved clothing
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
	Skin should be washed after contact.



# **DisboCRET 515 Basis 1**

Version 3.1	Revision Date: 17.07.2024	SDS Number: 6007005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019			
			vash contaminated clothing before re-use.			
Respiratory protection :		: No personal re quired.	No personal respiratory protective equipment normally re- quired.			
		0, , ,	application: Do not breathe spray dust. Use ation filter for paint spraying.			
		DGUV Regula	tion 112-190 - Use of breathing equipment			

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state		liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
		9 / 18



# DisboCRET 515 Basis 1

Ver 3.1	sion	Revision Date: 17.07.2024		S Number: 7005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019
	Solubili Wat	ty(ies) er solubility	:	completely miscil	ble
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Relative	e density	:	not determined	
	Density		:	1,4400 g/cm3	
	Relative	e vapor density	:	Not applicable	
9.2	<b>Other in</b> Explosi	formation ves	:	Not applicable	
	Oxidizir	ng properties	:	Not applicable	
	Flamma	ability (liquids)	:	The product is no	ot flammable.

# **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> No decomposition if stored and a	ар	plied as directed.
10.2 Chemical stability		
No decomposition if stored and a	ар	plied as directed.
10.3 Possibility of hazardous reacti	io	ns
Hazardous reactions :	:	No decomposition if stored and applied as directed.
<b>10.4 Conditions to avoid</b> Conditions to avoid :	:	Protect from frost, heat and sunlight.
<b>10.5 Incompatible materials</b> Materials to avoid :	:	Incompatible with acids and bases.
		10 / 18



# DisboCRET 515 Basis 1

Version	Revi
3.1	17.0

ision Date: 7.2024 SDS Number: 6007005 Date of last issue: 08.12.2022 Date of first issue: 10.12.2019

Incompatible with oxidizing agents.

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te t	oxic	ity		

Not classified based on available information.

### Components:

#### 2-methylisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

### Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.



# DisboCRET 515 Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2022
3.1	17.07.2024	6007005	Date of first issue: 10.12.2019

### Respiratory or skin sensitization

### Skin sensitization

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### **11.2 Information on other hazards**

### Endocrine disrupting properties

Not classified based on available information.

1

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

### 2-methylisothiazol-3(2H)-one:

M-Factor (Acute aquatic tox- : 10 icity) M-Factor (Chronic aquatic : 1 toxicity)

1,2-benzisothiazol-3(2H)-one:



# DisboCRET 515 Basis 1

Version 3.1	Revision Date: 17.07.2024		DS Number: 07005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019
Тох	cicity to fish	:	Exposure time: 9	chus mykiss (rainbow trout)): 2,2 mg/l /6 h Fest Guideline 203
	ticity to daphnia and other atic invertebrates	· :	Exposure time: 4	
Tox plai	ricity to algae/aquatic nts	:	Exposure time: 7	um capricornutum (green algae)): 0,11 mg/l '2 h Fest Guideline 201
M-F icity	Factor (Acute aquatic tox-	:	1	
	Factor (Chronic aquatic city)	:	1	
rea (3:1		2-me	ethyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one
M-F icity	Factor (Acute aquatic tox- /)	:	100	
	Factor (Chronic aquatic city)	:	100	
	<b>rsistence and degradabi</b> data available	lity		
12.3 Bic	accumulative potential			
Co	mponents:			
2-m	nethylisothiazol-3(2H)-or	ne:		
	tition coefficient: n- anol/water	:	log Pow: -0,486 pH: 7	(25 °C)
1,2	-benzisothiazol-3(2H)-or	ne:		
Par	tition coefficient: n- anol/water	:	log Pow: 0,63 - 0 pH: 7	),76
rea (3:1		2-me	thyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one
	tition coefficient: n- anol/water	:	log Pow: <= 0,75 Method: OECD 7	Fest Guideline 117
12 4 Mo	bility in soil			
12.7 100				

No data available



# DisboCRET 515 Basis 1

Version	Revision Date: 17.07.2024	SDS Number:	Date of last issue: 08.12.2022
3.1		6007005	Date of first issue: 10.12.2019

# 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Assessment	<ul> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.</li> </ul>
------------	---

### 12.7 Other adverse effects

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

DE / EN



# DisboCRET 515 Basis 1

Version 3.1	Revision Date: 17.07.2024	SDS Number: 6007005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019			
IMD	<b>^</b>					
	-	-	d as a dangerous good			
		C	d as a dangerous good			
	proper shipping name	<u>)</u>				
ADN	1	: Not regulate	d as a dangerous good			
ADF	R	: Not regulate	d as a dangerous good			
RID		: Not regulate	d as a dangerous good			
IMD	G	: Not regulate	d as a dangerous good			
IAT	4	: Not regulate	d as a dangerous good			
14.3 Trai	nsport hazard class(es	5)				
ADN	I	: Not regulate	d as a dangerous good			
ADF	R	: Not regulate	d as a dangerous good			
RID		: Not regulate	d as a dangerous good			
IMD	G	: Not regulate	d as a dangerous good			
IAT	4	: Not regulate	d as a dangerous good			
14.4 Pac	king group					
ADN	I	: Not regulate	d as a dangerous good			
ADF	2	: Not regulate	d as a dangerous good			
RID		: Not regulate	d as a dangerous good			
IMD	G	: Not regulate	d as a dangerous good			
IAT	A (Cargo)	: Not regulate	d as a dangerous good			
IAT	A (Passenger)	: Not regulate	d as a dangerous good			
14.5 Env	14.5 Environmental hazards					
Not	Not regulated as a dangerous good					
14.6 Special precautions for user						

Remarks

Not classified as dangerous in the meaning of transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Conditions of restriction for the following entries should be considered:



DE / EN

# DisboCRET 515 Basis 1

Vers 3.1	sion	Revision Date: 17.07.2024		0S Number: 07005			last issue: 08.12.2022 first issue: 10.12.2019
	mixtures and articles (Annex XVII)						Number on list 75, 3
							If you intend to use this product as tattoo ink, please contact your ven- dor.
		H - Candidate List of Su m for Authorization (Art				:	None
	Regula layer	tion (EC) on substance	s th	nat deplete the ozor	ne	:	Not applicable
	Regula tants (r	tion (EU) 2019/1021 or ecast)	n pe	ersistent organic po	llu-	:	Not applicable
	REACH - List of substances subject to authorisation : No (Annex XIV)						None
	pean P control	o III: Directive 2012/18/ arliament and of the Co of major-accident haza ous substances.	oun	cil on the		Not	applicable
	Water I ny)	hazard class (Germa-	:	WGK 1 slightly wa Classification acco			ngering AwSV, Annex 1 (5.2)
		t code for laquers and Giscode	:	M-DF02 Water-ba	sed	pain	ts
			:	BSW20 Coating m	nater	ials,	water-based
	Volatile	e organic compounds	:	emissions (integra	ated	pollu	4 November 2010 on industrial ation prevention and control) s (VOC) content: 1,04 %
	Volatile	e organic compounds	:	Directive 2004/42/ < 3 % < 40 g/l	/EC		

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.



# DisboCRET 515 Basis 1

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2022
3.1	17.07.2024	6007005	Date of first issue: 10.12.2019

### **SECTION 16: Other information**

#### Full text of H-Statements

H301 H302 H310 H311 H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH071		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.
Full text of other abbreviation	ns	Aguto toxicity
Aquatic Acute	÷	Acute toxicity Short-term (acute) aquatic hazard
Aquatic Chronic	÷	Long-term (chronic) aquatic hazard
Carc.	÷	Carcinogenicity
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2004/37/EC / TWA	:	Long term exposure limit
DE DFG MAK / MAK		MAK value
DE TRGS 527 / BM DE TRGS 900 / AGW	÷	Assessment scale
DE TROS 9007 AGW	·	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; ISCS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - Ne Wealand Inventory of Chemicals; GECD - Organization; FICS - Fullipines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - R

#### **Further information**

DE / EN



# DisboCRET 515 Basis 1

Version 3.1	Revision Date: 17.07.2024		DS Number: 007005	Date of last issue: 08.12.2022 Date of first issue: 10.12.2019
Othe	r information	:	product according Communication of REACH Article 37 not meet the crite	nario communication is required for this g to REACH Regulation No. 1907/2006 EC. of Uses is not required in accordance with I(1)(a) - registered substances / mixtures do ria for classification as hazardous in accord- tions 1272/2008 EC or 1999/45/EC.
com	ces of key data used to bile the Material Safety Sheet	:	gienists). 2014 TI for chemical subs Exposure Indices 2014 ACGIH, Cin NIOSH - Registry ECDIN - Environr work - Joint Rese Communities SAX'S - Dangero GESTIS - Databa Arbeitsschutz der	r of toxic effects of chemical substances mental Chemicals Data and Information Net- arch Centre, Commission of the European us properties of industrial materials use on hazardous substances - Institut für Deutschen Gesetzlichen Unfallversicherung Occupational Safety and Health of the Ger- ent Insurance)
Clas	sification of the mixtur	e:		Classification procedure:

Skin Sens. 1 H317 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN