

DisboCRET 515 Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2022
3.1	17.07.2024	6020564	Date of first issue: 07.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	DisboCRET 515 Weiß			
1.2 Relevant identified uses of	the s	substance or mixture and uses advised against			
Use of the Sub- stance/Mixture	:	Water-borne coatings			
Recommended restrictions on use	:	within adequate application - none			
1.3 Details of the supplier of the	e saf	ety data sheet			
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt			
Telephone	:	+496154710			
Telefax	:	+4961547170222			
Website	:				
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com			
1.4 Emergency telephone					
Emergency telephone 1	:	+49613284463 GBK GmbH			
SECTION 2: Hazards identification					
2.1 Classification of the substance or mixture					
Classification (REGULATIO)N (E	EC) No 1272/2008)			
Skin sensitization, Category	•	H317: May cause an allergic skin reaction.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.

 $\mathbf{\wedge}$

.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboCRET 515 Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2022
3.1	17.07.2024	6020564	Date of first issue: 07.05.2020

Precautionary Statements

Prevention:

51113	•	1 i cv ci i lion						
		P261 P272	Avoid breathing mist or vapors. Contaminated work clothing should not be allowed out of the workplace.					
		P280	Wear protective gloves.					
		Response:						
	P333 + P31	3 If skin irritation or rash occurs: Get medical advice/ attention.						
	P362 + P36	54 Take off contaminated clothing and wash it before reuse.						
		Disposal:						
		P501	Dispose of contents/ container to an approved waste disposal plant.					

Hazardous ingredients which must be listed on the label:

2-methylisothiazol-3(2H)-one 1,2-benzisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Emulsion paint, aqueous
-----------------	---	-------------------------

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboCRET 515 Weiß

/ersion 8.1	Revision Date: 17.07.2024			e of last issue: 09.12.2022 e of first issue: 07.05.2020	
			Index-No.		
			Registration number		
contai cles w 10 µm		ti-	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
ammo	nia		1336-21-6 215-647-6 007-001-01-2 01-2119488876-14	Skin Corr. 1B; H314 Aquatic Acute 1; H400	>= 0,1 - < 0,25
				specific concentration limit STOT SE 3; H335 >= 5 %	
2-met	hylisothiazol-3(2H)-one		2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 - < 0,025
1,2-be	enzisothiazol-3(2H)-one		2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboCRET 515 Weiß

sion	Revision Date: 17.07.2024	SDS Number: 6020564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020
			aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %
methy	on mass of 5-chloro-2 1-2H-isothiazol-3-one 1-2H-isothiazol-3-one	e and 2- e (3:1) 613-167-	Acute Tox. 2; H330 0,0015
			Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
Subst kaolin	ances with a workpla	ce exposure limit : 1332-58-	7 >= 1 - < 1
ικαυπΠ		310-194-	

For explanation of abbreviations see section 16.



DisboCRET 515 Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2022
3.1	17.07.2024	6020564	Date of first issue: 07.05.2020

SECTION 4: First aid measures

4.1 Description of first-aid meas	ure	S			
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.			
If inhaled	:	Move to fresh air.			
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.			
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.			
4.2 Most important symptoms and effects, both acute and delayed					
Risks	:	May cause an allergic skin reaction.			

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire	:	In case of fire hazardous decomposition products may be
fighting		produced such as:
		Carbon monoxide, carbon dioxide and unburned hydrocar-



DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024	SDS Number: 6020564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020	
		bons (smoke).	
5.3 Advic	e for firefighters			
•	ial protective equipment e-fighters	: Wear self-co essary.	ntained breathing apparatus for firefighting if nec-	
Further information		•	Standard procedure for chemical fires. The product itself does not burn.	
SECTION	N 6: Accidental releas	se measures		
6.1 Perso	nal precautions, protec	ctive equipment a	and emergency procedures	
Perso	onal precautions	Material can	ve shoes or boots with rough rubber sole. create slippery conditions. eyes, on skin, or on clothing.	
6.2 Enviro	onmental precautions			
Envir	onmental precautions		er leakage or spillage if safe to do so. t contaminates rivers and lakes or drains inform	

In the product containinates rivers and lakes of drains inform
respective authorities.
Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.



DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024		DS Number: 20564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020
7.2 Cond	litions for safe storage,	inc	luding any incom	patibilities
•	uirements for storage s and containers	:	in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the Containers which are opened must be care- d kept upright to prevent leakage.
Advi	ce on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Stor	age class (TRGS 510)	:	12	
-	ific end use(s) cific use(s)	:	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK		
	Further inform	ation: Substances th	hat cause cancer in humans	or animals or		
	can be derive	that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				
	AGW (Inhalable 10 mg/m3 DE TRGS					
		fraction)	(Titanium dioxide)	900		
	Peak-limit cat	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit cat	egory: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		BM (Alveolar	0,5 mg/m3	DE TRGS		
		dust fraction)	-	527		
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC		
	Further inform	ation: Carcinogens	or mutagens			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024	SDS Num 6020564	SDS Number:Date of last issue: 09.12.20226020564Date of first issue: 07.05.2020		
Sub	stance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
pow ing part	nium dioxide; [in /der form contain- 1 % or more of icles with aerody- nic diameter ≤ 10	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment				
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection			
	Goggles			
Glove thickness :	Nitrile rubber 0,2 mm Class 3			
Remarks :	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection :	Safety shoes Long sleeved clothing			
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
	Skin should be washed after contact.			



DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024	SDS Number: 6020564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020
			wash contaminated clothing before re-use. application: impervious clothing
Resp	iratory protection	: No personal quired.	respiratory protective equipment normally re-
			application: Do not breathe spray dust. Use nation filter for paint spraying.
		DGUV Regu	lation 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
		9 / 18



DisboCRET 515 Weiß

Revision Date: 17.07.2024	SDS Number: 6020564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020
ility(ies) ater solubility	: completely	miscible
ion coefficient: n- ol/water	: Not applica	ble
r pressure	: ca. 23,4 hP	a (20 °C)
ve density	: not determi	ned
ity	: 1,4400 g/cr	n3
ve vapor density	: Not applica	ble
information		
sives	: Not applica	ble
zing properties	: Not applica	ble
nability (liquids)	: The produc	t is not flammable.
i i i i i i i i i i i i i i i i i i i	17.07.2024 ility(ies) ater solubility on coefficient: n- ol/water • pressure ve density ty ve vapor density information sives zing properties	17.07.20246020564ility(ies) ater solubility: completelyon coefficient: n- ol/water: Not applica• pressure: ca. 23,4 hP• pressure: ca. 23,4 hPve density: not determinety: 1,4400 g/crve vapor density: Not applicainformation sives: Not applicazing properties: Not applica

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
10.4 Conditions to avoid Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials Materials to avoid	:	Incompatible with acids and bases.

DisboCRET 515 Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2022
3.1	17.07.2024	6020564	Date of first issue: 07.05.2020

Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te to	oxic	ity		

Not classified based on available information.

Components:

2-methylisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.





DisboCRET 515 Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2022
3.1	17.07.2024	6020564	Date of first issue: 07.05.2020

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

1

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-methylisothiazol-3(2H)-one:

M-Factor (Acute aquatic tox- : 10 icity) M-Factor (Chronic aquatic : 1 toxicity)

1,2-benzisothiazol-3(2H)-one:



DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024		9S Number: 20564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020
Toxicit	ty to fish	:	Exposure time:	nchus mykiss (rainbow trout)): 2,2 mg/l 96 h Test Guideline 203
	ty to daphnia and other c invertebrates	:	Exposure time:	
Toxicit plants	ty to algae/aquatic	:	Exposure time:	trum capricornutum (green algae)): 0,11 mg/l 72 h Test Guideline 201
M-Fac icity)	tor (Acute aquatic tox-	:	1	
M-Fac toxicity	tor (Chronic aquatic y)	:	1	
reactio (3:1):	on mass of 5-chloro-2	-me	thyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
. ,	tor (Acute aquatic tox-	:	100	
M-Fac toxicity	etor (Chronic aquatic y)	:	100	
	stence and degradabil ta available	lity		
12.3 Bioac	cumulative potential			
<u>Comp</u>	onents:			
2-met	hylisothiazol-3(2H)-on	e:		
	on coefficient: n- bl/water	:	log Pow: -0,486 pH: 7	∂ (25 °C)
1,2-be	enzisothiazol-3(2H)-on	e:		
Partitio	on coefficient: n- bl/water	:	log Pow: 0,63 - pH: 7	0,76
reactie (3:1):	on mass of 5-chloro-2	-me	thyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
Partitio	on coefficient: n- bl/water	:	log Pow: <= 0,7 Method: OECD	75 Test Guideline 117

No data available



DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024	SDS Number: 6020564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020		
12.5 Resu	ults of PBT and vPvB a	assessment			
Prod	uct:				
Asse	ssment	: This substance/mixture contains no components consider to be either persistent, bioaccumulative and toxic (PBT), very persistent and very bioaccumulative (vPvB) at levels 0.1% or higher.			
12.6 Endo	ocrine disrupting prop	erties			
Prod	uct:				
Asse	ssment	ered to hav REACH Ar (EU) 2017/	ance/mixture does not contain components consid- ve endocrine disrupting properties according to ticle 57(f) or Commission Delegated regulation '2100 or Commission Regulation (EU) 2018/605 at 1% or higher.		
12.7 Othe	er adverse effects				
Prod	uct:				
Addit matic	ional ecological infor- on		mental hazard cannot be excluded in the event of onal handling or disposal.		
SECTION	N 13: Disposal cons	iderations			
13.1 Was	te treatment methods				
Produ	uct	old paints/	liquid material residues at the collection point for varnishes, dispose of dried material residues as n and demolition waste or as municipal waste or		

household waste.

cling.

:

used product

in 08 01 11*

Waste should not be disposed of via wastewater.

: Only completely emptied containers should be given for recy-

080112, waste paint and varnish other than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

Contaminated packaging

Waste Code

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024	SDS Nun 6020564	ber: Date of last issue: 09.12.2022 Date of first issue: 07.05.2020		
IMDO	3	: Not re	gulated as a dangerous good		
ΙΑΤΑ			Not regulated as a dangerous good		
14.2 UN p	proper shipping name				
ADN		: Not re	gulated as a dangerous good		
ADR		: Not re	gulated as a dangerous good		
RID		: Not re	gulated as a dangerous good		
IMDO	3	: Not re	gulated as a dangerous good		
ΙΑΤΑ	L .	: Not re	gulated as a dangerous good		
14.3 Tran	sport hazard class(e	5)			
ADN		: Not re	gulated as a dangerous good		
ADR			gulated as a dangerous good		
RID		: Not re	gulated as a dangerous good		
IMDO	3	: Not re	gulated as a dangerous good		
ΙΑΤΑ	L .	: Not re	gulated as a dangerous good		
14.4 Pack	king group				
ADN		: Not re	gulated as a dangerous good		
ADR			gulated as a dangerous good		
RID			gulated as a dangerous good		
IMDO	3	: Not re	gulated as a dangerous good		
ΙΑΤΑ	(Cargo)	: Not re	gulated as a dangerous good		
	(Passenger)	: Not re	gulated as a dangerous good		
14.5 Envi	ronmental hazards				
Not r	egulated as a dangero	us good			
14.6 Spec	cial precautions for u	ser			

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

1

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Conditions of restriction for the following entries should be considered:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboCRET 515 Weiß

Versio 3.1	on	Revision Date: 17.07.2024		9S Number: 20564			last issue: 09.12.2022 first issue: 07.05.2020
n	mixtures and articles (Annex XVII)						Number on list 75, 3
							If you intend to use this product as tattoo ink, please contact your vendor.
	REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).					:	None
	Regulation (EC) on substances that deplete the ozon layer					:	Not applicable
	Regulation (EU) 2019/1021 on persistent organic pollutants (recast)					:	Not applicable
	REACH - List of substances subject to authorisation : None (Annex XIV)						None
p	control	III: Directive 2012/18/I arliament and of the Co of major-accident haza ous substances.	oun	cil on the		Not	applicable
	Water h ny)	azard class (Germa-	:	WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)			
		code for laquers and Giscode	:	M-DF02 Water-based paints			
			:	BSW20 Coating m	nater	ials,	water-based
١	Volatile	organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1,04 %			
١	Volatile	organic compounds	:	Directive 2004/42/EC < 3 % < 40 g/l			

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboCRET 515 Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2022
3.1	17.07.2024	6020564	Date of first issue: 07.05.2020

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H311 H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH071		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.
Full text of other abbreviation	ons	
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. 2004/37/EC		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DE DFG MAK DE TRGS 527 DE TRGS 900 2004/37/EC / TWA DE DFG MAK / MAK DE TRGS 527 / BM DE TRGS 900 / AGW	:	Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit MAK value Assessment scale Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization is of standardization; KECI - Korea Existing Chemicals Inventory; LCS0 - Lethal Concentration for Standardization; KECI - Korea Existing Chemicals Inventory; LCS0 - Lethal Concentration to 50% of a test population; LDS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NDCLR - No Observed

Further information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboCRET 515 Weiß

Version 3.1	Revision Date: 17.07.2024	SDS Number: 6020564	Date of last issue: 09.12.2022 Date of first issue: 07.05.2020		
Other information		product accord Communicatio REACH Article not meet the c	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.		
Sources of key data used to compile the Material Safety Data Sheet		gienists). 2014 for chemical s Exposure India 2014 ACGIH, NIOSH - Regis ECDIN - Envir work - Joint Re Communities SAX'S - Dang GESTIS - Dats Arbeitsschutz (IFA, Institute man Social Ac	ican Conference of Government Industrial Hy- I TLVs and BEIs. Threshold Limit Values (TLVs) ubstances and physical agents and Biological ces (BEIs) with Seventh Edition documentation.		
Cla	assification of the mixtur	e:	Classification procedure:		

Skin Sens. 1 H317 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN