

DisboPOX W 442 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
2.2	05.11.2024	6004674	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product id Trade na		:	DisboPOX W 442 Comp. B
1.2 Relevant	identified uses of th	e s	ubstance or mixture and uses advised against
Use of the stance/M		:	Epoxide-resin-based coating material, aqueous
Recommon on use	ended restrictions	:	within adequate application - none
1.3 Details of	the supplier of the	safe	ety data sheet
Company	,	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephon	е	:	+496154710
Telefax		:	+4961547170222
Website E-mail ad ble/issuin	ldress Responsi- g person	:	msds@dr-rmi.com
1.4 Emergend	cy telephone		

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.					

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 442 Comp. B

Vers 2.2	sion	Revision Date: 05.11.2024	-	DS Number: 004674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019
	Hazard	pictograms	:		
	Signal	Word	:	Warning	
	Hazard	Statements	:	H315 H317 H319 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
	Precau	tionary Statements	:	Prevention	:
				P261 P264 P273 P280	Avoid breathing mist or vapors. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face pro- tection.
				Response:	
				P333 + P31	3 If skin irritation or rash occurs: Get medical advice/ attention.
				P391	Collect spillage.

Hazardous ingredients which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane bisphenol-F epoxy resin MW <700 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Mixture

Components

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboPOX W 442 Comp. B

/ersion 2.2	Revision Date: 05.11.2024	SDS Number: 6004674	Date of last issue: 12.06.202 Date of first issue: 14.11.201	
Chem	nical name	CAS-No. EC-No. Index-No. Registration r	Classification	Concentration (% w/w)
bis-[4 epoxi	-(2,3- propoxi)phenyl]propane	1675-54-3 216-823-5 603-073-00-2 01-21194566	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 50 - < 70
			specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	
bisph	enol-F epoxy resin MW <	700 9003-36-5 500-006-8 01-21194543	92-40 Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 25 - < 30
	-butylphenyl 1-(2,3- /)propyl ether	3101-60-8 221-453-2 01-21199594	Skin Sens. 1; H317 Aquatic Chronic 2; 96-20 H411	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.
In case of eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy- sician.
If swallowed	:	Call a physician. Clean mouth with water and drink afterwards plenty of water.



DisboPOX W 442 Comp. B

Version 2.2	Revision Date: 05.11.2024	-	9S Number: 04674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019
			If swallowed, DO	NOT induce vomiting.
4.2 Most i	important symptoms a	nd e	effects, both acute	e and delayed
Risks	3	:	Causes skin irrita May cause an alle Causes serious e	ergic skin reaction.
4.3 Indica	tion of any immediate	med	lical attention and	d special treatment needed
Treat	ment	:	No information av	ailable.
SECTION	N 5: Firefighting mea	sur	es	
5.1 Exting	guishing media			
Suita	ble extinguishing media	:		g measures that are appropriate to local cir- the surrounding environment.
Unsu media	itable extinguishing a	:	None known.	
5.2 Specia	al hazards arising from	n the	substance or mi	xture
Spec fightir	ific hazards during fire	:		ainers exposed to fire with water spray. nposition products formed under fire condi-
5.3 Advic	e for firefighters			
	ial protective equipment e-fighters	:	In the event of fire	e, wear self-contained breathing apparatus.
Further information :			be disposed of in Standard procedu	contaminated fire extinguishing water must accordance with local regulations. ure for chemical fires. e and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	:	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.			



DisboPOX W 442 Comp. B

Version 2.2	Revision Date: 05.11.2024	SDS Number: 6004674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019						
6.2 Enviro	6.2 Environmental precautions								
Enviro	nmental precautions	If the product cor respective author	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system. 						
6.3 Method	is and material for co	ntainment and clean	ing up						
Metho	ds for cleaning up	Soak up with ine	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).						
6.4 Reference to other sections For further information see Section 7 of the safety data sheet.									
, For perso	nal protection see secti	on 8., For disposal cor	nsiderations see section 13.						
SECTION 7: Handling and storage									

7.1 Precautions for safe handling

7.1 Precautions for safe handling		
Advice on safe handling		For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms. In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
Hygiene measures		Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec- tive equipment before entering eating areas.
7.2 Conditions for safe storage, in	nclu	uding any incompatibilities
Requirements for storage areas and containers		Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510)	:	10
7.3 Specific end use(s) Specific use(s)	:	This information is not available.



DisboPOX W 442 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
2.2	05.11.2024	6004674	Date of first issue: 14.11.2019

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
bisphenol-F epoxy resin MW <700	Consumers	Skin contact	Long-term systemic effects	62,50 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	6,25 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,70 mg/m3
	Workers	Skin contact	Acute local effects	8,30 µg/cm2
	Workers	Skin contact	Long-term systemic effects	104,15 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	29,39 mg/m3
p-tert-butylphenyl 1- (2,3-epoxy)propyl ether	Consumers	Skin contact	Acute local effects	0,95 µg/cm2
	Consumers	Inhalation	Long-term local ef- fects	11,70 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3,30 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0,95 µg/cm2
	Consumers	Skin contact	Acute systemic ef- fects	3,30 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	11,70 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	19,60 mg/m3
	Workers	Inhalation	Acute local effects	19,60 mg/m3
	Workers	Inhalation	Long-term systemic effects	19,60 mg/m3
	Workers	Inhalation	Long-term local ef- fects	19,60 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	5,60 mg/kg bw/day
	Workers	Skin contact	Acute local effects	1,60 µg/cm2
	Workers	Skin contact	Long-term systemic effects	5,60 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	1,60 µg/cm2

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

 Substance name
 Environmental Compartment
 Value



DisboPOX W 442 Comp. B

ersion 2	Revision Date: 05.11.2024	SDS Number: 6004674	Date of last issue: 1 Date of first issue: 1		
bisphenol-F epoxy resin MW <700		Fresh water		0,003 mg/l	
		Fresh water s	ediment	0,294 mg/kg dry weight (d.w.)	
		Intermittent u	se/release	0,0254 mg/l	
		Sea sedimen	t	0,0294 mg/kg dr weight (d.w.)	
		Sea water		0,0003 mg/l	
		Sewage treat	ment plant	10 mg/l	
		Soil		0,237 mg/kg dry weight (d.w.)	
	-butylphenyl 1-(2,3- y)propyl ether	Fresh water		7,5 μg/l	
		Soil		11,4 mg/kg dry weight (d.w.)	
		Fresh water s	ediment	33,54 mg/kg dry weight (d.w.)	
		Sewage treat	ment plant	100 mg/l	
		Sea water		0,75 μg/l	
		Sea sedimen	t	3,354 mg/kg dry weight (d.w.)	
		Intermittent u	se/release	75 µg/l	

8.2 Exposure controls

Personal protective equipment				
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection			
	Tightly fitting safety goggles			
Glove thickness :	Nitrile rubber 0,2 mm Class 3			
Remarks :	Gloves should be discarded and replaced if there is any indi- cation of degradation or chemical breakthrough. Before re- moving gloves clean them with soap and water. Wear suita- ble gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection :	Safety shoes Use appropriate degowning techniques to remove potentially contaminated clothing. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Long sleeved clothing			
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			



DisboPOX W 442 Comp. B

Version 2.2	Revision Date: 05.11.2024	SDS Number: 6004674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019
Respi	ratory protection	: Roller application used under com- mask with an application standard EN 14	,
		A2/P2 combinat	plication: Do not breathe spray dust. Use ion filter for paint spraying. on 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	64 °C
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 442 Comp. B

Vers 2.2	ion	Revision Date: 05.11.2024		S Number:)4674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019
	рН		:	11 Concentration: 1	0 %
	Viscosi Visc	ty cosity, dynamic	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	partly miscible	
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	not determined	
	Relativ	e density	:	not determined	
	Density	,	:	1,1600 g/cm3	
	Relativ	e vapor density	:	not determined	
	Dther ir Explosi	formation ves	:	Not applicable	
	Oxidiziı	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.
	Evapor	ation rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions



DisboPOX W 442 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
2.2	05.11.2024	6004674	Date of first issue: 14.11.2019
Haza	rdous reactions	: Hazardous de tions.	ecomposition products formed under fire condi-
10.4 Conditions to avoid Conditions to avoid		: Protect from	frost, heat and sunlight.
10.5 Incompatible materials		: Incompatible	with acids.
Materials to avoid		Incompatible	with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.



DisboPOX W 442 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
2.2	05.11.2024	6004674	Date of first issue: 14.11.2019

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

Although the product only contains epoxy resins with high molecular weight, follow good industrial hygiene practice and avoid prolonged skin contact.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Partition coefficient: noctanol/water : log Pow: 3,242 (25 °C) pH: 7,1

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Partition coefficient: n-	:	log Pow: ca. 3,59 (20 °C)
octanol/water		pH: 7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



DisboPOX W 442 Comp. B

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
2.2	05.11.2024	6004674	Date of first issue: 14.11.2019

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components consid ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.
	REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a

12.7 Other adverse effects

Product:

Additional ecological infor-	:	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
mauon		enects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700)



DisboPOX W 442 Comp. B

Version 2.2	Revision Date: 05.11.2024		0S Number: 04674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019		
ADR		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, ipropoxi)phenyl]propane, bisphenol-F epoxy		
RID		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, ipropoxi)phenyl]propane, bisphenol-F epoxy		
IMDG		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epox resin MW <700)			
ΙΑΤΑ		:	Environmentally hazardous substance, liquid, n.o.s. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700)			
14.3 Trans	sport hazard class(es)					
			Class	Subsidiary risks		
ADN		:	9			
ADR		:	9			
RID		:	9			
IMDG		:	9			
ΙΑΤΑ		:	9			
4.4 Packi	ng group					
ADN						
Packiı Classi	ng group ification Code d Identification Number	:	III M6 90 9			
ADR Packir Classi Hazar Labels	ng group ification Code d Identification Number	:	III M6 90 9 (-)			
RID Packir Classi	ng group ification Code d Identification Number	:	III M6 90 9			
IMDG Packir Labels EmS (ng group S	:	III 9 F-A, S-F			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 442 Comp. B

Version	Revision Date: 05.11.2024	SDS Number:	Date of last issue: 12.06.2024	
2.2		6004674	Date of first issue: 14.11.2019	

IATA (Cargo)

Packing instruction (cargo aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous
IATA (Passenger)		
Packing instruction (passen- ger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

Environmentally hazardous	:	yes
ADR Environmentally hazardous	:	yes
RID Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo) Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75, 3

> If you intend to use this product as tattoo ink, please contact your vendor.



DisboPOX W 442 Comp. B

Vers 2.2	sion	Revision Date: 05.11.2024		0S Number: 04674			f last issue: 12.06.2024 f first issue: 14.11.2019
		H - Candidate List of Su n for Authorization (Art			n	:	None
	Regulation (EC) on substances that deplete the ozor layer						Not applicable
	Regula tants (r	tion (EU) 2019/1021 oi ecast)	n pe	ersistent organic po	ollu	- :	Not applicable
	REACH (Annex	H - List of substances s XIV)	ubje	ect to authorisation	1	:	None
Seveso III: Directive 2012/18/EU of the Euro- E2 ENVIRONMENTAL HAZARDS pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						VIRONMENTAL HAZARDS	
	Water I ny)	hazard class (Germa-	:	WGK 2 obviously Classification acc			ous to water AwSV, Annex 1 (5.2)
		t code for laquers and Giscode	:	RE1 Epoxy resin (pro	oducts	s, solvent-free, sensitising
			:	RE20 Epoxy resin no H 317 and aqu			ts, sensitising, totally solid, hardener
	Volatile	e organic compounds	:				4 November 2010 on industrial ution prevention and control)
	Volatile	e organic compounds	:	Directive 2004/42 < 0.1 % < 1 g/l	2/E0	C	

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 442 Comp. B

Version 2.2	Revision Date: 05.11.2024		DS Number: 004674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019	
H317 H319 H411			Causes serious e	ergic skin reaction. ye irritation. fe with long lasting effects.	
Full te	xt of other abbreviat	ions			
Aquati	c Chronic	:	Long-term (chroni	c) aquatic hazard	
Eye Irr	it.	:	Eye irritation		
Skin Ir	rit.	:	Skin irritation		
Skin S	ens.	:	: Skin sensitization		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory CCB - Lethaics and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Sel

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network
Classification of the mixture:		Classification procedure:

Calculation method

H315



DisboPOX W 442 Comp. B

Version 2.2	Revision Date: 05.11.2024	SDS Number: 6004674	Date of last issue: 12.06.2024 Date of first issue: 14.11.2019
Eye Ir	rrit. 2	H319	Calculation method
Skin S	Sens. 1	H317	Calculation method
Aquat	tic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN