DisboPOX W 447 Comp. A RAL7032



Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
4.0	17.09.2024	6007519	Date of first issue: 15.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	DisboPOX W 447 Comp. A RAL7032
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, aqueous
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitization, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878



DE / EN

11

DisboPOX W 447 Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
4.0	17.09.2024	6007519	Date of first issue: 15.11.2019

:	Prevention:	
	P261	Avoid breathing mist or vapors.
		Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves.
	Response:	
		If skin irritation or rash occurs: Get medical advice/ attention.
		Take off contaminated clothing and wash it before reuse.
	Disposal:	
		Dispose of contents/ container to an approved waste disposal plant.
	:	P261 P272 P280 Response: P333 + P313 P362 + P364 Disposal: P501

Hazardous ingredients which must be listed on the label:

m-phenylenebis(methylamine)

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti-	13463-67-7 236-675-5	Carc. 2; H351	>= 10 - < 20

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboPOX W 447 Comp. A RAL7032

rsion)	Revision Date: 17.09.2024		Number: 7519		ast issue: 14.03.2023 ïrst issue: 15.11.2019	
10 µm		eter ≤	022-006-00-2 01-2119489379	-17		
benzy	l alcohol		100-51-6 202-859-9 603-057-00-5 01-2119492630	A	cute Tox. 4; H302 cute Tox. 4; H332 ye Irrit. 2; H319	>= 1 - < 10
	nomethyl-3,5,5- hylcyclohexylamine		2855-13-2 220-666-8 612-067-00-9 01-2119514687	SI	cute Tox. 4; H302 kin Corr. 1B; H314 ye Dam. 1; H318 kin Sens. 1A; H317	>= 0,1 - < 1
				lir Sl	becific concentration nit kin Sens. 1A; H317 = 0,001 %	
m-phe	enylenebis(methylamir	ne)	1477-55-0 216-032-5 01-2119480150	-50 Si Si Ai H	cute Tox. 4; H332 cute Tox. 4; H302 kin Corr. 1B; H314 kin Sens. 1B; H317 quatic Chronic 3; 412 ye Dam. 1; H318 UH071	>= 0,25 - < 1
	ances with a workplac	e expo	l sure limit :			
bariun	n sulfate		7727-43-7 231-784-4 01-2119491274	-35		>= 30 - < 50
kaolin			1332-58-7 310-194-1			>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.



DisboPOX W 447 Comp. A RAL7032

Version 4.0	Revision Date: 17.09.2024		OS Number: 07519	Date of last issue: 14.03.2023 Date of first issue: 15.11.2019			
In ca	se of eye contact	:	Remove conta	inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue liately call a POISON CENTER or doctor/ phy-			
If swallowed				sician. Ith with water and drink afterwards plenty of water. Id, DO NOT induce vomiting.			
4.2 Most i	important symptoms a	nd e	effects, both ac	ute and delayed			
Risks	3	:	May cause an	allergic skin reaction.			
4.3 Indica	tion of any immediate	me	dical attention a	and special treatment needed			
	ment	:	No information	•			
SECTIO	N 5: Firefighting mea	sur	es				
	guishing media ble extinguishing media	:		ning measures that are appropriate to local cir- nd the surrounding environment.			
Unsu medi	itable extinguishing a	:	None known.				
5.2 Speci	al hazards arising from	n the	e substance or	mixture			
•	ific hazards during fire	:	Cool closed co	ontainers exposed to fire with water spray. composition products formed under fire condi-			
5.3 Advic	e for firefighters						
Spec	ial protective equipment e-fighters	:	In the event of	fire, wear self-contained breathing apparatus.			
Furth	er information	:	be disposed of Standard proce	and contaminated fire extinguishing water mus in accordance with local regulations. edure for chemical fires.			

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Do not get in eyes, on skin, or on clothing.
		When workers are facing concentrations above the exposure

In the event of fire and/or explosion do not breathe fumes.



DisboPOX W 447 Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
4.0	17.09.2024	6007519	Date of first issue: 15.11.2019
			ist use appropriate certified respirators.
			uate ventilation. sources of ignition.
		Remove an s	
6.2 Envir	onmental precautions		
Envir	onmental precautions	: Prevent furth	ner leakage or spillage if safe to do so.
	-		t contaminates rivers and lakes or drains inform
		respective a	
		Do not flush	into surface water or sanitary sewer system.
6.3 Metho	ods and material for co	ontainment and cl	eaning up
Meth	ods for cleaning up	: Keep in suita	able, closed containers for disposal.
		•	n inert absorbent material (e.g. sand, silica gel,
		acid binder,	universal binder, sawdust).
6.4 Refer	ence to other sections	5	
For furthe	r information see Section	on 7 of the safety d	ata sheet
			al considerations see section 13.
SECTIO	N 7: Handling and st	orage	
7.1 Preca	utions for safe handli	ng	
Advid	ce on safe handling	•	protection see section 8.
		Avoid excee section 8).	ding the given occupational exposure limits (see
		,	

Provide sufficient air exchange and/or exhaust in wor	k rooms.

In addition, the current technical information for this product and its application on www.caparol.com must be observed.

Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
Hygiene measures	:	Remove and wash contaminated clothing before re-use. Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective

equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510)	:	12

7.3 Specific end use(s)

DISBON

DE / EN

DisboPOX W 447 Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
4.0	17.09.2024	6007519	Date of first issue: 15.11.2019

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
barium sulfate	7727-43-7	AGW (Inhalable	10 mg/m3	DE TRGS			
Danum Sunale	1121-43-1		10 mg/m3				
	Peak-limit category: 2;(II)						
			compliance with the OEL				
	tolerance valu		of harming the unborn child				
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)		900			
	Peak-limit cat						
			s compliance with the OEL				
	tolerance valu		of harming the unborn child				
		BM (Alveolar	0,5 mg/m3	DE TRGS			
		dust fraction)		527			
		MAK (measured	0,3 mg/m3	DE DFG MAK			
		as the alveolate					
		fraction)					
	Further information: Substances that cause cancer in humans or animals or						
	that are considered to be carcinogenic for humans and for which a MAK value						
	can be derived., Damage to the embryo or foetus is unlikely when the MAK						
	value or the BAT value is observed						
		MAK (inhalable	4 mg/m3	DE DFG MAK			
		fraction)					
	Further information: Substances that cause cancer in humans or animals or						
	that are considered to be carcinogenic for humans and for which a MAK value						
	can be derived., Damage to the embryo or foetus is unlikely when the MAK						
	value or the BAT value is observed						
titanium dioxide; [in	13463-67-7	MAK (measured	0,3 mg/m3				
powder form con-			o,o mg/mo	DE DEG MAK			
		as the alveolate	o,o mg/mo	DE DEG MAK			
taining 1 % or		as the alveolate fraction)	o,o mg/mo	DE DEG MAK			
taining 1 % or more of particles			e,eg/e	DE DEG MAK			
taining 1 % or more of particles with aerodynamic				DE DEG MAK			
taining 1 % or more of particles			o,o mg/mo	DE DEG MAK			
taining 1 % or more of particles with aerodynamic	Peak-limit cat	fraction) egory: 8; II					
taining 1 % or more of particles with aerodynamic	Further inform	fraction) egory: 8; II nation: Substances tl	nat cause cancer in huma	ns or animals or			
taining 1 % or more of particles with aerodynamic	Further inform that are considered	fraction) egory: 8; II nation: Substances tl dered to be carcinog	nat cause cancer in huma	ns or animals or /hich a MAK value			
taining 1 % or more of particles with aerodynamic	Further inform that are consid can be derived	fraction) egory: 8; II nation: Substances tl dered to be carcinog d., Damage to the en	nat cause cancer in huma lenic for humans and for w mbryo or foetus is unlikely	ns or animals or /hich a MAK value			
taining 1 % or more of particles with aerodynamic	Further inform that are consid can be derived	fraction) egory: 8; II nation: Substances tl dered to be carcinog	nat cause cancer in human lenic for humans and for w mbryo or foetus is unlikely d	ns or animals or /hich a MAK value			
taining 1 % or more of particles with aerodynamic	Further inform that are consid can be derived	fraction) egory: 8; II nation: Substances tl dered to be carcinog d., Damage to the en	hat cause cancer in human lenic for humans and for w mbryo or foetus is unlikely d 10 mg/m3	hich a MAK value			
taining 1 % or more of particles with aerodynamic	Further inform that are consid can be derived	fraction) egory: 8; II nation: Substances the dered to be carcinog d., Damage to the en AT value is observe	nat cause cancer in human lenic for humans and for w mbryo or foetus is unlikely d	ns or animals or vhich a MAK value when the MAK			
taining 1 % or more of particles with aerodynamic	Further inform that are consid can be derived	fraction) egory: 8; II nation: Substances the dered to be carcinog d., Damage to the en AT value is observe AGW (Inhalable fraction)	hat cause cancer in human lenic for humans and for w mbryo or foetus is unlikely d 10 mg/m3	ns or animals or /hich a MAK value when the MAK DE TRGS			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboPOX W 447 Comp. A RAL7032

Version	Re
4.0	17.

vision Date: .09.2024 SDS Number: 6007519

Date of last issue: 14.03.2023 Date of first issue: 15.11.2019

	tolerance valu	ues, there is no risk o	of harming the unborn child	b		
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit cat	ategory: 2;(II)				
		ther information: When there is compliance with the OEL and biological				
	tolerance value	nce values, there is no risk of harming the unborn child				
		BM (Alveolar	0,5 mg/m3	DE TRGS		
		dust fraction)		527		
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC		
		dust)				
	Further inform	nation: Carcinogens	or mutagens			
benzyl alcohol	100-51-6	AGW (Vapour	5 ppm	DE TRGS		
		and aerosols)	22 mg/m3	900		
	Peak-limit cat	tegory: 2;(I)				
			on, When there is complia			
	and biologica	I tolerance values, th	ere is no risk of harming t	he unborn child		
		MAK	5 ppm	DE DFG MAK		
			22 mg/m3			
		Further information: Danger of absorption through the skin, Damage to the				
	embryo or foe	etus is unlikely when	the MAK value or the BAT	value is ob-		
	served					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
benzyl alcohol	Consumers	Skin contact	Acute systemic ef- fects	20,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,40 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4,00 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	20,00 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboPOX W 447 Comp. A RAL7032

ersion Revision Date 0 17.09.2024		SDS Number: 6007519		Date of last issue: 14.03.2023 Date of first issue: 15.11.2019	
		Consumers	Inhalation	Acute systemic ef- fects	27,00 mg/m3
		Workers	Inhalation	Acute systemic ef- fects	110,00 mg/m
		Workers	Inhalation	Long-term systemic effects	22,00 mg/m3
		Workers	Skin contact	Acute systemic ef- fects	40,00 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	8,00 mg/kg bw/day
m- phe- nylenebis(methylamin e)	Workers	Inhalation	Long-term systemic effects	1,20 mg/m3	
		Workers	Inhalation	Long-term local ef- fects	0,20 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,33 mg/kg bw/day
3-aminomethyl-3,5,5- trimethylcyclohexyla- mine	Consumers	Ingestion	Long-term systemic effects	0,53 mg/kg bw/day	
		Workers	Inhalation	Acute local effects	0,07 mg/m3
		Workers	Inhalation	Long-term local ef- fects	0,07 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry
		weight (d.w.)
	Soil	207,7 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	62,2 mg/l
titanium dioxide; [in powder form	Sewage treatment plant	100 mg/l
containing 1 % or more of parti-		
cles with aerodynamic diameter ≤		
10 μm]		
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry
		weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry
		weight (d.w.)
	Sea sediment	100 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,193 mg/l
benzyl alcohol	Sewage treatment plant	39 mg/l
	Fresh water	1 mg/l
	Sea sediment	0,527 mg/kg dry
		weight (d.w.)
	Sea water	0,1 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

DisboPOX W 447 Comp. A RAL7032

ersion .0	Revision Date: 17.09.2024	SDS Number: 6007519	Date of last issue: Date of first issue	
		Fresh water	sediment	5,27 mg/kg dry weight (d.w.)
		Soil		0,456 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	2,3 mg/l
m-phe	m-phenylenebis(methylamine)	Soil		0,045 mg/kg dry weight (d.w.)
		Sewage trea	tment plant	10 mg/l
		Sea sedimer	nt	0,043 mg/kg dry weight (d.w.)
		Fresh water	sediment	0,43 mg/kg dry weight (d.w.)
		Fresh water		0,094 mg/l
		Intermittent u	ise/release	0,152 mg/l
		Sea water		0,0094 mg/l
	inomethyl-3,5,5- thylcyclohexylamine	Sea sedimer	nt	0,578 mg/kg dry weight (d.w.)
		Fresh water	sediment	5,784 mg/kg dry weight (d.w.)
		Fresh water		0,06 mg/l
		Sewage treat	tment plant	3,18 mg/l
		Sea water		0,006 mg/l
		Soil		1,121 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	0,23 mg/l

8.2 Exposure controls

Personal protective equipmer Eye/face protection	DGUV R	egulation 112-192 - Use of eye and face protection
	Goggles	
Glove thickness	Nitrile rul 0,2 mm Class 3	ober
Remarks	cation of moving g ble glove	hould be discarded and replaced if there is any indi- degradation or chemical breakthrough. Before re- loves clean them with soap and water. Wear suita- s tested to EN374. egulation 112-195 - Use of protective gloves
Skin and body protection	contamir Additiona task bein posable	noes opriate degowning techniques to remove potentially ated clothing. I body garments should be used based upon the g performed (e.g., sleevelets, apron, gauntlets, dis- suits) to avoid exposed skin surfaces. eved clothing



DisboPOX W 447 Comp. A RAL7032

Version 4.0	Revision Date: 17.09.2024	SDS Number: 6007519	Date of last issue: 14.03.2023 Date of first issue: 15.11.2019
Respiratory protection :		centration of th	protection according to the amount and con- le dangerous substance at the work place. washed after contact.
		used under co	on or brushing: This product should not be nditions of poor ventilation unless a protective appropriate gas filter (i.e. type A1 according to 4387) is used.
		During spray application: Do not breathe spray dust. A2/P2 combination filter for paint spraying.	
		DGUV Regulat	tion 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	gray
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 447 Comp. A RAL7032

Vers 4.0	sion	Revision Date: 17.09.2024		S Number: 07519	Date of last issue: 14.03.2023 Date of first issue: 15.11.2019
	Decomp	position temperature	:	Not applicable	
	рН		:	8 - 9 Concentration: 1	00 %
	Viscosit Visco	y osity, dynamic	:	No data availabl	e
	Solubilit Wate	ry(ies) er solubility	:	partly miscible	
	Partitior octanol/	n coefficient: n- /water	:	not determined	
	Vapor p	ressure	:	not determined	
	Relative	edensity	:	not determined	
	Density		:	1,7260 g/cm3	
	Relative	e vapor density	:	not determined	
92	Other in	formation			
5.2	Explosiv		:	Not applicable	
	Oxidizin	g properties	:	Not applicable	
	Flamma	ability (liquids)	:	The product is n	ot flammable.
	Evapora	ation rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

DISBON

DE / EN

DisboPOX W 447 Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
4.0	17.09.2024	6007519	Date of first issue: 15.11.2019

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reacti	ons
Hazardous reactions :	Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid	
Conditions to avoid :	Protect from frost, heat and sunlight.
10.5 Incompatible materials	
Materials to avoid :	Incompatible with acids. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Troduoti		
Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Components:		
benzyl alcohol:		
Acute oral toxicity	:	LD50 (Rat, male and female): 1.230 mg/kg
3-aminomethyl-3,5,5-trimethy	lcy	yclohexylamine:
Acute oral toxicity	:	LD50 (Rat, male): 1.030 mg/kg Method: OECD Test Guideline 401
m-phenylenebis(methylamine	e):	
Acute oral toxicity	:	LD50 (Rat): 930 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): 1,01 mg/l Exposure time: 4 h Test atmosphere: dust/mist

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

DISBON

DisboPOX W 447 Comp. A RAL7032

Versic 4.0	on Revision 17.09.20			S Number: 17519	Date of last issue: 14.03.2023 Date of first issue: 15.11.2019
				Method: OECD T	est Guideline 403
A	Acute dermal to:	xicity	:	LD50 (Rabbit): 3.	100 mg/kg
-	Skin corrosion/ Not classified ba		ble i	nformation.	
	Serious eye dan Not classified ba				
<u>c</u>	Components:				
b	enzyl alcohol:				
	Species Assessment			Rabbit Irritating to eyes.	
R	Respiratory or	skin sensitiza	atior	ı	
-	Skin sensitizati <i>M</i> ay cause an al	-	actio	٦.	
	Respiratory ser		ble i	nformation.	
	Germ cell muta Not classified ba		ble i	nformation.	
	Carcinogenicity	-	ble i	nformation.	
	Reproductive to	-	ble i	nformation.	
S	STOT-single ex	posure			
	Not classified ba		ble i	nformation.	
	STOT-repeated Not classified ba	-	ble i	nformation.	
	Aspiration toxic	•	ble i	nformation.	
11.2 l	nformation on	other hazard	ls		
	Endocrine disru				
<u>P</u>	Product: Assessment		:	The substance/m ered to have endo REACH Article 57	Exture does not contain components consid- borine disrupting properties according to (f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.

DisboPOX W 447 Comp. A RAL7032

Version	Revision Date:	SDS Number:	Date of last issue: 14.03.2023
4.0	17.09.2024	6007519	Date of first issue: 15.11.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:		
barium sulfate: Toxicity to fish	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic tox- icity)	:	Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: No toxicity at the limit of solubility.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

benzyl alcohol:

Partition coefficient: n- : log Pow: 1,05 (20 °C) octanol/water

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

Partition coefficient: n-	:	Pow: ca. 9,8 (23 °C)
octanol/water		log Pow: 0,99 (23 °C)
		pH: 6,34

m-phenylenebis(methylamine):

Partition coefficient: n-	:	log Pow: ca. 0,18 (25 °C)
octanol/water		pH: 10,3

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered

DisboPOX W 447 Comp. A RAL7032



VersionRevision Date:SDS Number:Date of last issue: 14.03.20234.017.09.20246007519Date of first issue: 15.11.2019

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Product:	

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

••••			
	Product	:	Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
	: : :

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 447 Comp. A RAL7032

Version 4.0	Revision Date: 17.09.2024	SDS Number: 6007519	Date of last issue: 14.03.2023 Date of first issue: 15.11.2019
ADN		: Not regulate	ed as a dangerous good
ADR		C C	ed as a dangerous good
RID		: Not regulate	ed as a dangerous good
IMDO	G	: Not regulate	ed as a dangerous good
ΙΑΤΑ	N Contraction of the second seco	: Not regulate	ed as a dangerous good
14.3 Tran	sport hazard class(es	5)	
ADN		: Not regulate	ed as a dangerous good
ADR		: Not regulate	ed as a dangerous good
RID		: Not regulate	ed as a dangerous good
IMDO	G	: Not regulate	ed as a dangerous good
ΙΑΤΑ	N Contraction of the second seco	: Not regulate	ed as a dangerous good
14.4 Pack	king group		
ADN		: Not regulate	ed as a dangerous good
ADR		: Not regulate	ed as a dangerous good
RID		: Not regulate	ed as a dangerous good
IMDO	G	: Not regulate	ed as a dangerous good
ΙΑΤΑ	A (Cargo)	: Not regulate	ed as a dangerous good
ΙΑΤΑ	A (Passenger)	: Not regulate	ed as a dangerous good
-	ironmental hazards egulated as a dangero	us good	
14.6 Spec	cial precautions for us	ser	
Rem	arks	: Not classifie	ed as dangerous in the meaning of transport regu-

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the fol-
the market and use of certain dangerous substances,		lowing entries should be considered:
mixtures and articles (Annex XVII)		Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.



DisboPOX W 447 Comp. A RAL7032

Version 4.0	Revision Date: 17.09.2024		DS Number: 07519			last issue: 14.03.2023 first issue: 15.11.2019
	ACH - Candidate List of S ncern for Authorization (Ar		, ,	h	:	None
Re lay	gulation (EC) on substance er	es th	nat deplete the ozo	ne	:	Not applicable
	gulation (EU) 2019/1021 o ts (recast)	n pe	ersistent organic po	ollu	I- :	Not applicable
	ACH - List of substances s inex XIV)	subj	ect to authorisation	I	:	None
pea cor	veso III: Directive 2012/18, an Parliament and of the C ntrol of major-accident haz ngerous substances.	oun	cil on the		Not	applicable
Wa ny)	ter hazard class (Germa-	:	WGK 1 slightly wa Classification acc			angering AwSV, Annex 1 (5.2)
	oduct code for laquers and nts / Giscode	:	RE1 Epoxy resin	pro	oducts	, solvent-free, sensitising
·		:	RE10 Epoxy resir 317	n d	lispers	ions, not sensitising, hardener H
Vol	atile organic compounds	:	emissions (integra	ate	ed pollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,15 %
Vol	atile organic compounds	:	Directive 2004/42 < 3 % < 50 g/l	2/E	С	

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 447 Comp. A RAL7032

Version 4.0	Revision Date: 17.09.2024	SDS Number: 6007519	Date of last issue: 14.03.2023 Date of first issue: 15.11.2019				
H314 H317 H318 H319 H332 H351 H412 EUH071		 May cause an Causes seriou Causes seriou Harmful if inha Suspected of c Harmful to aqu 	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. Suspected of causing cancer if inhaled. Harmful to aquatic life with long lasting effects. Corrosive to the respiratory tract.				
Full te	ext of other abbreviat	ions					
Acute Aquati Carc. Eye Da Eye Irr Skin C Skin S 2004/3	c Chronic am. it. orr. ens.	 Carcinogenicity Serious eye data Eye irritation Skin corrosion Skin sensitizat Europe. Direct from the risks 	amage				
DE TR DE TR 2004/3 DE DF DE TR	G MAK GS 527 GS 900 7/EC / TWA G MAK / MAK GS 527 / BM GS 900 / AGW	: Germany. TRO	cale				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil de for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Cavil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of S0% of a test population; LDS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Pe

Further information

Other information		No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878

DE / EN



DisboPOX W 447 Comp. A RAL7032

Version 4.0	Revision Date: 17.09.2024	SDS Number: 6007519	Date of last issue: 14.03.2023 Date of first issue: 15.11.2019
		Exposure Indices 2014 ACGIH, Cit NIOSH - Registr ECDIN - Environ work - Joint Res Communities SAX'S - Dangero GESTIS - Datab Arbeitsschutz de (IFA, Institute for man Social Accie	y of toxic effects of chemical substances imental Chemicals Data and Information Net- earch Centre, Commission of the European ous properties of industrial materials ase on hazardous substances - Institut für er Deutschen Gesetzlichen Unfallversicherung r Occupational Safety and Health of the Ger-
Clas	sification of the mixture	2.	Classification procedure:

Classification of the mixtur	e:	Classification procedure:
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN