

Disbon 404 ELF Basis 2

Hazard pictograms

Hazard Statements

Signal Word

2

:

:

Warning

H317

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.2	19.06.2024	6008656	Date of first issue: 15.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Disbon 404 ELF Basis 2		
1.2 Relevant identified uses of	the s	ubstance or mixture and uses advised against		
Use of the Sub- stance/Mixture	:	Water-borne coatings		
Recommended restrictions on use	:	within adequate application - none		
1.3 Details of the supplier of the	e saf	ety data sheet		
Company	:	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt		
Telephone Telefax	:	+496154710 +4961547170222		
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com		
1.4 Emergency telephone				
Emergency telephone 1	:	+49613284463 GBK GmbH		
SECTION 2: Hazards identifi	catio	on		
2.1 Classification of the substa	nce (or mixture		
Classification (REGULATIO	ON (E	EC) No 1272/2008)		
Skin sensitization, Category	Skin sensitization, Category 1 H317: May cause an allergic skin reaction.			
2.2 Label elements				
Labelling (REGULATION (E	EC) N	lo 1272/2008)		

May cause an allergic skin reaction.



Disbon 404 ELF Basis 2

Version 4.2	Revision Date: 19.06.2024	SDS Number: 6008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019
Preca	autionary Statements	: P101 : P102	If medical advice is needed, have product con- tainer or label at hand. Keep out of reach of children.
		Prevention	•
		P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
		Response: P302 + P35	
		Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 10 - < 20
containing 1 % or more of parti-	236-675-5		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Disbon 404 ELF Basis 2

rsion			te of last issue: 12.06.2024 te of first issue: 15.11.2019	
cles w 10 µm	vith aerodynamic diameter :	≤ 022-006-00-2 01-2119489379-17		
	u enzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05
2-met	hylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 - < 0,025
methy	on mass of 5-chloro-2- /l-2H-isothiazol-3-one and 2 /l-2H-isothiazol-3-one (3:1)	2- 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318	>= 0,0002 - < 0,0015

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Disbon 404 ELF Basis 2

		SDS Number: 6008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019
			Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
Subst	ances with a workpla	ce exposure limit :	
kaolin		1332-58-7 310-194-1	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Never give anything by mouth to an unconscious person. : If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. If inhaled Move to fresh air. 2 In case of skin contact Do NOT use solvents or thinners. 5 In case of contact, immediately flush skin with soap and plenty of water. In case of eye contact If eye irritation persists: Get medical advice/ attention. :



Disbon 404 ELF Basis 2

Version 4.2	Revision Date: 19.06.2024	-	DS Number: 008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019
				e cautiously with water for several minutes. lenses, if present and easy to do. Continue
lf s	wallowed	:		<i>v</i> ice. water and drink afterwards plenty of water. NOT induce vomiting.
4.2 Mos	t important symptoms a	nd e	effects, both acute	e and delayed
Ris	Risks		May cause an all	ergic skin reaction.
	cation of any immediate	meo :	dical attention and No information av	d special treatment needed vailable.
SECTIO	ON 5: Firefighting meas	sur	es	
5.1 Exti	nguishing media			
Sui	table extinguishing media	:	bon dioxide. Use extinguishing cumstances and	alcohol-resistant foam, dry chemical or car- g measures that are appropriate to local cir- the surrounding environment. d water stream as it may scatter and spread
Un: me	suitable extinguishing dia	:	None known.	

5.2 Special hazards arising from the substance or mixture

• •p•••••• ••••••••••••••••••••••••••		
Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole.
		Material can create slippery conditions.
		Do not get in eyes, on skin, or on clothing.



Disbon 404 ELF Basis 2

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.2	19.06.2024	6008656	Date of first issue: 15.11.2019

6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.



Disbon 404 ELF Basis 2

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.2	19.06.2024	6008656	Date of first issue: 15.11.2019

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
	Further inform	ation: Substances th	hat cause cancer in humans	or animals or			
	that are considered to be carcinogenic for humans and for which a MAK valu can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed						
		AGW (Inhalable	10 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit cate	egory: 2;(II)					
	Further information: When there is compliance with the OEL and biological						
	tolerance values, there is no risk of harming the unborn child						
		AGW (Alveolate 1,25 mg/m3 DE T					
		fraction)	(Titanium dioxide)	900			
	Peak-limit cate	egory: 2;(II)					
	Further information: When there is compliance with the OEL and biological						
	tolerance values, there is no risk of harming the unborn child						
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527			
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC			
	Further inform	Further information: Carcinogens or mutagens					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	1	0 0		
Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤	Sewage treatment plant	100 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Disbon 404 ELF Basis 2

	Fresh water		0,184 mg/l
	Soil		100 mg/kg dry weight (d.w.)
	Sea water		0,0184 mg/l
	Fresh water	sediment	1000 mg/kg dry weight (d.w.)
	Sea sedimer	it	100 mg/kg dry weight (d.w.)
	Intermittent u	use/release	0,193 mg/l
re controls			
		Sea water Fresh water Sea sedimen Intermittent u	Sea water Fresh water sediment Sea sediment Intermittent use/release e controls

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	: :	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.
		DGUV Regulation 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid



Disbon 404 ELF Basis 2

Ver 4.2	sion	Revision Date: 19.06.2024		S Number:)8656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019
	Color		:	white	
	Odor		:	No data available	9
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling	point/boiling range	:	ca. 100 °C	
		explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
	Autoigr	ition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8 - 9 Concentration: 1	00 %
	Viscosi Visc	ty osity, dynamic	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	completely misci	ble
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Relative	e density	:	not determined	



Disbon 404 ELF Basis 2

Version 4.2	Revision Date: 19.06.2024	SDS Number: 6008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019
Dens	ity	: 1,2900 g/cm3	
Relat	ive vapor density	: Not applicable	
	information osives	: Not applicable	
Oxidi	zing properties	: Not applicable	
Flam	mability (liquids)	: The product is	not flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous read	10.3 Possibility of hazardous reactions			
Hazardous reactions	:	No decomposition if stored and applied as directed.		
10.4 Conditions to avoid				
Conditions to avoid	:	Protect from frost, heat and sunlight.		
10.5 Incompatible materials				
Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.		

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:





Disbon 404 ELF Basis 2

Version 4.2	Revision Date: 19.06.2024	SDS Number: 6008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019			
Acute	e oral toxicity	: LD50 (Rat	:): 532 mg/kg			
Acute	e inhalation toxicity	: LC50 (Rat Exposure Test atmo				
Acute	e dermal toxicity	: LD50 (Rat	LD50 (Rat): > 2.000 mg/kg			
2-me	thylisothiazol-3(2H)-	one:				
Acute	e oral toxicity	: LD50 (Rat	:): 120 mg/kg			
Acute	inhalation toxicity	: LC50 (Rat Exposure Test atmo				
react (3:1):		-2-methyl-2H-iso	othiazol-3-one and 2-methyl-2H-isothiazol-3-one			
. ,	e oral toxicity	: LD50 (Rat Method: C	:): 66 mg/kg DECD Test Guideline 401			
Acute	inhalation toxicity	Exposure Test atmo	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403			
Acute	e dermal toxicity		:): > 141 mg/kg)ECD Test Guideline 402			
	corrosion/irritation lassified based on ava	ailable information				
	ous eye damage/eye lassified based on ava					
Resp	iratory or skin sensi	tization				
-	sensitization cause an allergic skin	reaction.				
•	iratory sensitization lassified based on ava	ailable information				
	n cell mutagenicity lassified based on ava	ailable information				
	i nogenicity lassified based on ava	ailable information				
Repr	oductive toxicity					

Reproductive toxicity

Not classified based on available information.



Disbon 404 ELF Basis 2

Version	Revision Date:	SDS Number:
4.2	19.06.2024	6008656

Date of last issue: 12.06.2024 Date of first issue: 15.11.2019

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:	
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- : icity)	1
M-Factor (Chronic aquatic : toxicity)	1
2-methylisothiazol-3(2H)-one:	
M-Factor (Acute aquatic tox- : icity)	10
M-Factor (Chronic aquatic :	1



Disbon 404 ELF Basis 2

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.2	19.06.2024	6008656	Date of first issue: 15.11.2019

toxicity)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100

toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-	:	log Pow: 0,63 - 0,76
octanol/water		pH: 7

2-methylisothiazol-3(2H)-one:

Partition coefficient: n-	:	log Pow: -0,486 (25 °C)
octanol/water		pH: 7

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,75
octanol/water		Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.4% or bicker
	levels of 0.1% or higher.



Disbon 404 ELF Basis 2

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.2	19.06.2024	6008656	Date of first issue: 15.11.2019

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product		Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good



Disbon 404 ELF Basis 2

Version 4.2	Revision Date: 19.06.2024	SDS Number: 6008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019	
ADR		: Not regulated	l as a dangerous good	
RID		: Not regulated	l as a dangerous good	
IMDO	6	: Not regulated	l as a dangerous good	
ΙΑΤΑ		: Not regulated	l as a dangerous good	
14.4 Pack	ing group			
ADN		: Not regulated	l as a dangerous good	
ADR		: Not regulated	l as a dangerous good	
RID		: Not regulated	l as a dangerous good	
IMDO	6	: Not regulated	l as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated	l as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated	l as a dangerous good	
14.5 Envi	ronmental hazards			

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation	:	None



Disbon 404 ELF Basis 2

Versior 4.2	n Revision Date: 19.06.2024		0S Number: 08656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019
(A	nnex XIV)			
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
W	ater hazard class (Germa-)	:		ater endangering ording to AwSV, Annex 1 (5.2)
		:	BSW20 Coating n	naterials, water-based
Vc	latile organic compounds	:	emissions (integra	/EU of 24 November 2010 on industrial ated pollution prevention and control) ompounds (VOC) content: < 0,01 %
Vc	latile organic compounds	:	Directive 2004/42 < 0.1 % < 1 g/l	/EC

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.

Full text of other abbreviations

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



Disbon 404 ELF Basis 2

Version 4.2	Revision Date: 19.06.2024	SDS Number: 6008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019			
	te Tox.	: Acute toxicit				
Aquatic Acute		: Short-term (a	Short-term (acute) aquatic hazard			
Aquatic Chronic		: Long-term (c	Long-term (chronic) aquatic hazard			
Carc.		: Carcinogeni	Carcinogenicity			
Eye Dam. :		: Serious eye	Serious eye damage			
Skin Corr. : Skin corrosion						
Skin Irrit. : Skin irritation		l				
		: Skin sensitiz	Skin sensitization			
2004/37/EC			ective 2004/37/EC on the protection of workers			
			s related to exposure to carcinogens or mutagens			
DE	DFG MAK	: Germany. M	AK BAT Annex IIa			
			RGS 527 - Activities with nanomaterials			
DE	TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.				
200	4/37/EC / TWA		: Long term exposure limit			
	DFG MAK / MAK	: MAK value	•			
	TRGS 527 / BM	Assessment	: Assessment scale			
	TRGS 900 / AGW		: Time Weighted Average			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOEER - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)XAR - (Quantitat

Further information

Other information

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet : ECHA WebSite ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials



Disbon 404 ELF Basis 2

Version 4.2	Revision Date: 19.06.2024	SDS Number: 6008656	Date of last issue: 12.06.2024 Date of first issue: 15.11.2019			
GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicher (IFA, Institute for Occupational Safety and Health of the Ge man Social Accident Insurance) Toxnet - Toxicology Data Network						
Class	sification of the mixt	ure:	Classification procedure:			
Skin S	Sens. 1	H317	Calculation method			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN